



GRADE 12 EXAMINATION
NOVEMBER 2018

ADVANCED PROGRAMME MATHEMATICS: PAPER II

MARKING GUIDELINES

Time: 2 hours

200 marks

These marking guidelines are prepared for use by examiners and sub-examiners, all of whom are required to attend a standardisation meeting to ensure that the guidelines are consistently interpreted and applied in the marking of candidates' scripts.

The IEB will not enter into any discussions or correspondence about any marking guidelines. It is acknowledged that there may be different views about some matters of emphasis or detail in the guidelines. It is also recognised that, without the benefit of attendance at a standardisation meeting, there may be different interpretations of the application of the marking guidelines.

MODULE 2 STATISTICS**QUESTION 1**

1.1 (a) Binomial

$$\begin{aligned} \text{Zero or one} & \binom{12}{0}(0,057)^0(0,943)^{12} + \binom{12}{1}(0,057)(0,943)^{11} \\ & = 0,8531. \end{aligned}$$

(b) The remaining 16 not ADD

$$(0,943)^{16} = 0,3910$$

1.2 (a) Without replacement hypergeometric

(b) 20

(c) 7

(d) 8


(e) 2

(f) $7 - k$ $8 - (7 - k) = k + 1$ **QUESTION 2**2.1 (a) Let X be the random variable "weight of babies"

$$P(X > 2,8)$$

$$P\left(z > \frac{2,8 - 3,2}{0,85}\right)$$

$$P(z > -0,4706)$$




$$0,05 + 0,1808$$

$$= 0,6808$$

Approximately 953 120 babies

(b)



$$z = -1,28$$


$$-1,28 = \frac{(X - 3,2)}{0,85}$$

$$= 2,112 \text{ kg}$$

2.2 (a) 61 kg

(b) $61 + z \times \frac{9}{8} = 63$

$$z = \frac{16}{9} = 1,77$$




$0,461 \times 2$
92% confident

QUESTION 3

$$H_0 : \mu_x = \mu_y$$

$$H_1 : \mu_x > \mu_y$$

$$\text{Test statistic } z = \frac{7,2 - 8,1}{\sqrt{\frac{(2,85)^2}{35} + \frac{4}{38}}} = -1,54$$



Not enough evidence to reject the null hypothesis in favour of the claim at the 5% significance level.

QUESTION 4

$$4.1 \quad \bar{y} = \frac{\sum y}{n} = 159 \frac{1}{6} = \frac{1910}{n}$$

$$n = 12$$

$$4.2 \quad b = \frac{12 \times 26270 - 161 \times 1910}{12 \times 2293 - (161)^2} = 4,8464$$

$$\bar{y} = a + b\bar{x}$$

$$\frac{955}{6} = a + 4,8464 \left(\frac{161}{12} \right) \therefore a = 94,1441$$

$$y = 94,1441 + 4,8464x$$

4.3 Strong, positive correlation

4.4 No – too far out of the range (extrapolation)

QUESTION 5

$$5.1 \quad \int_{30}^{60} a(x-30)^2 dx = 1$$

$$\left[\frac{a}{3}(x-30)^3 \right]_{30}^{60} = 1$$

$$\frac{a}{3}(30)^3 = 1$$

$$a = \frac{3}{(30)^3} = \frac{1}{9\,000}$$

$$5.2 \quad \left[\frac{1}{27000}(x-30)^3 \right]_{30}^m = \frac{1}{2}$$


$$\frac{1}{27000}(m-30)^3 = \frac{1}{2}$$

$$(m-30)^3 = 1\,3500 \text{ m}$$

$$m = 54 \text{ minutes}$$

QUESTION 6

6.1 $P(A) = x$ $P(B) = y$ $P(B') = 1 - y$
 $P(A \cap B) = xy$



$P(A) \times P(B') = x(1 - y)$
 $P(A \cap B') = x - xy = x(1 - y)$
 Events A and B' are independent

6.2 $\binom{16}{5} - \binom{9}{0} \binom{7}{5} = 4\,347$

6.3 $\binom{11}{2} \binom{9}{4} \binom{5}{5} + \binom{11}{1} \binom{10}{4} \binom{6}{6} + \binom{11}{2} \binom{9}{3} \binom{6}{6} = 13\,860$

Total for Module 2: 100 marks

MODULE 3 FINANCE AND MODELLING

QUESTION 1

1.1 (a) $5\,640 \times \frac{1}{1,15} = \mathbf{4\,904,35}$

(b) $\frac{1,15 - 1,14}{1,14} \times 100 = 0,00877 \dots = \mathbf{0,88\%}$

1.2 $3x = x(1 + i)^{24} \qquad \therefore i = 0,0468 \text{ per month}$

$2x = x(1 + 0,0468)^n \qquad \therefore n = 15,1423 \approx \mathbf{15 \text{ months}}$

1.3 A 3 B 2 C 1 D 5

QUESTION 2

2.1 $500\,000 \left(\frac{0,088}{12} \right) = 3\,666,67 \qquad \text{interest} > \text{payments}$

2.2 $500\,000 = \frac{x \left[1 - \left(1 + \frac{0,088}{12} \right)^{-96} \right]}{\frac{0,088}{12}} \qquad \mathbf{x = 7\,273,33}$

2.3 $500\,000 \left(1 + \frac{0,088}{12} \right)^{95} - \frac{7\,300 \left[\left(1 + \frac{0,088}{12} \right)^{95} - 1 \right]}{\frac{0,088}{12}} = 3\,576,4053$

$3\,576,4053 \left(1 + \frac{0,088}{12} \right) = \mathbf{3\,602,63}$

OR

$500\,000 \left(1 + \frac{0,088}{12} \right)^{96} - \frac{7\,300 \left(1 + \frac{0,088}{12} \right) \left[\left(1 + \frac{0,088}{12} \right)^{95} - 1 \right]}{\frac{0,088}{12}}$
 $= 1\,008\,318,445 - 1\,004\,715,812 = \mathbf{3\,602,63}$

OR

$$500\,000 - \frac{7\,300 \left[1 - \left(1 + \frac{0,08}{12} \right)^{-95} \right] + y \left(1 + \frac{0,08}{12} \right)^{-96}}{\frac{0,08}{12}}$$

$$\therefore y = \mathbf{3\,602,63}$$

QUESTION 3

$$x \cdot \left(1 + \frac{0,08}{12} \right)^{72} \cdot \frac{2}{3} \cdot \left(1 + \frac{0,08}{12} \right)^{24} + x \cdot \left(1 + \frac{0,08}{12} \right)^{72} \cdot \frac{1}{3} \cdot \left(1 + \frac{0,1}{4} \right)^8$$

$$= 20\,702,50$$

$$1,9169x = 20\,702,50 \quad \mathbf{X = 10\,800}$$

QUESTION 4

4.1 Logistic Model, presence of carrying capacity

4.2
$$V = \frac{1}{2} (50) = \mathbf{25}$$

4.3 The model has regression equation $\frac{\Delta P}{P} = -0,0025P + r$.
 $r = -Km = -50 \cdot (-0,0025) = \mathbf{0,125}$ 4.4 $T_{n+1} = T_n + 0,13 \cdot T_n(1 - T_n/50)$, $T_0 = 10$
 $\mathbf{t = 11}$

QUESTION 5

- 5.1 (a) number of eagles born per annum
 (b) efficacy rate at which eagles turn prey into offspring

(c) $f \cdot b \cdot D_n \cdot E_n = 15$
 $f(6\ 000) = 15$ **$f = 0,0025$**

5.2 $a = 0,5 \times 1,5 \times 3 \times 0,67$ **$a = 1,51$**

5.3 $6\ 000 = b \cdot (12\ 000)(30)$ **$b = 0,016\ 667$**
 for dassie equilibrium, $E_{n+1} = E_n$
 $0,1 = 0,003 \times 0,016\ 667 \times D$ **$D = 1\ 999,96 \approx 2\ 000$**

OR

$6\ 000 = b \cdot (12\ 000)(30)$ **$b = 0,016\ 667$**
 $D = \frac{c}{fb} = \frac{0,1}{0,003 \times 0,016\ 667}$ **$D = 1\ 999,96 \approx 2\ 000$**

QUESTION 6

6.1 (a) $T_4 = 75,77$ $T_5 = 84,55$ $T_6 = 91,122$

(b) $64\sqrt{3} = 110,8$ sq units

6.2 $195 = p \cdot 114 + q \cdot 60$ and $114 = p \cdot 60 + q \cdot 24$
 $p = 2,5$ and $q = -1,5$
 $T_n = 5/2 \cdot T_{n-1} - 3/2 \cdot T_{n-2}$ $T_1 = 24, T_2 = 60$

Total for Module 3: 100 marks

MODULE 4 MATRICES AND GRAPH THEORY

QUESTION 1

$$1.1 \quad PQ = \begin{pmatrix} 3 & 6 & 2 & -2 \\ 0 & -1 & 4 & 6 \end{pmatrix} \cdot \begin{pmatrix} 3 & 6 \\ -2 & -1 \\ 0 & 5 \\ -7 & 0 \end{pmatrix} = \begin{pmatrix} 11 & 22 \\ -40 & 21 \end{pmatrix}$$

$$1.2 \quad 3x + 2y = 11 \qquad x - 2z = 0 \qquad 6y + 4z = 5$$

3	2	0	11	
1	0	-2	0	
0	6	4	5	
3	2	0	11	
0	2	6	11	R1 – 3.R2
0	6	4	5	
3	2	0	11	
0	2	6	11	
0	0	14	28	3.R2 – R3

$$z = 2, \quad y = -\frac{1}{2}, \quad x = 4$$

- 1.3 (a) 3
 (b) 0
 (c) t

QUESTION 22.1 reflection across $y = x$ 2.2 $k = 3$ 2.3 $C = \frac{1}{4}R$ and $R = S$ so factor is $\frac{1}{4}$

2.4
$$\begin{pmatrix} -3 & 0 \\ 0 & 1 \end{pmatrix} \begin{pmatrix} -0,5 & 0 \\ 0 & -0,5 \end{pmatrix} = \begin{pmatrix} 1,5 & 0 \\ 0 & -0,5 \end{pmatrix}$$

OR

$$\begin{pmatrix} 3 & 0 \\ 0 & 1 \end{pmatrix} \begin{pmatrix} 1 & 0 \\ 0 & -1 \end{pmatrix} \begin{pmatrix} 0,5 & 0 \\ 0 & 0,5 \end{pmatrix} = \begin{pmatrix} 1,5 & 0 \\ 0 & -0,5 \end{pmatrix}$$

2.5
$$\begin{pmatrix} \cos A & -\sin A \\ \sin A & \cos A \end{pmatrix} \begin{pmatrix} 5 \\ -2 \end{pmatrix} = \begin{pmatrix} 4,025 \\ 3,578 \end{pmatrix}$$

$$5\cos A + 2.\sin A = 4,025$$

$$\cos A = 0,4472$$

$$A = 63,44^\circ$$

and

and

$$-2.\cos A + 5\sin A = 3,578$$

$$\sin A = 0,8944$$

$$A = 63,44^\circ$$

QUESTION 33.1 $\det = 25$

3.2
$$\begin{pmatrix} 25 & 0 & 0 & -1 & -4 & -10 \\ 0 & -10 & 0 & -2 & -8 & -10 \\ 0 & 0 & 25 & 4 & -9 & 10 \end{pmatrix}$$

3.3
$$\begin{pmatrix} 25 & 0 & 0 & -1 & -4 & 10 \\ 0 & 25 & 0 & 5 & 20 & -25 \\ 0 & 0 & 25 & -4 & 9 & -10 \end{pmatrix}$$

$$\text{Inverse} = \frac{1}{25} \begin{pmatrix} -1 & -4 & 10 \\ 5 & 20 & -25 \\ -4 & 9 & -10 \end{pmatrix}$$

QUESTION 4


- 4.1 one vertex has an odd degree
- 4.2 yes; there is one pair of odd vertices
- 4.3 8 edges
- 4.4 $19 \times 2 = 4 \times 6 + 2 \times 4 + 1 \times 1 + e$
 $e = 5$

QUESTION 5

- 5.1 TR 3 TV 3 TS 4 SU 3
RQ 5 RW 5 QP 6 length = 29
- 5.2 RT 3 TV 3 VW 7
WRQ 10 QP 6 PS 7
SU 3 UTR 9 **U/B = 48**
- 5.3 37 is the largest Lower Bound ✓ and 41 is the smallest Upper Bound
- 5.4 R Q P U S T V W R = 41

QUESTION 6

- 6.1 3
- 6.2 $e = 2n - 3$
- 6.3 4 Steiner Vertices
9 edges
Connectivity



Total for Module 4: 100 marks